
# Nouvel® CarbTop

## Composite Discrete

The Nouvel CarbTop Composite Discrete is a 316 stainless steel discrete tactile ground surface indicator with a silicon carbide based Carborundum infill, classified P5 to AS 4586 and sized to AS 1428.4.1. The 316 stainless construction provides inherent corrosion resistance for internal and external use, while the Carborundum infill delivers a durable slip-resistant surface for high-traffic environments. Available in black or yellow to achieve the luminance contrast required by AS 1428.1

**COMPLIES WITH** AS 1428.4.1 (tactile dimensions) · AS 4586 (slip resistance) · AS 1428.1 (luminance contrast)

### PRODUCT




### PROFILE & DIMENSIONS (MM)




| P5 | 60% | 5 yr | 316 SS |
|---|---|---|---|
| Wet pendulum slip (AS 4586) | Luminance contrast requirement (AS 1428.1) | Product warranty | Carborundum infill carrier |

### SPECIFICATION

| | |
|---|---|
| **Material** | 316 stainless steel with silicon carbide based Carborundum infill |
| **Profile** | Composite Discrete (warning studs and directional bars) |
| **Slip resistance** | P5 |
| **Luminance contrast requirement** | 60% |
| **Substrates** | Stone \| Ceramic \| Concrete \| Masonry \| Timber \| Vinyl \| Asphalt \| Exposed Aggregate \| Carpet Tile |
| **Warranty** | 5 Years |

### FINISHES & LUMINANCE (LRV)

| FINISH | CODE | DRY | WET |
|---|---|---|---|
| Black / Stainless | 112111 | 3.61 | 3.11 |
| Yellow / Steel | 112118 | 35.93 | 33.21 |
| Black / Brass | 112211 | 3.61 | 3.11 |

Discrete Warning: 112111 (Black, Stainless Steel) · 112118 (Yellow, Stainless Steel) · 112211 (Black, Brass) · Discrete Directional: 112121 (Black, Stainless Steel) · 112128 (Yellow, Stainless Steel)

### SPECIFY IT

Specify: Korb Nouvel CarbTop Composite Discrete TGSI; 316 stainless steel with silicon carbide based Carborundum infill; slip resistance P5 to AS 4586; luminance contrast ≥60% to AS 1428.1; fixed to manufacturer's instructions. No substitution without written approval

Conforms to AS 4586 (slip resistance) · AS 1428.1 (luminance contrast) · TDS-TGSI-NOUVEL_CARBTOP_COMPOSITE_DISCRETE
Independently slip-tested to AS 4586 by ATTAR — NATA-accredited laboratory (Accreditation No. 2735) · Report 14314.6 / 9457.7.

**National (Head Office)**
T 1300 00 KORB (5672)
E info@korb.au

**Melbourne**
17 Anderson Road,
Thornbury VIC 3071

**Adelaide**
71 Maria Street, Thebarton
SA 5031

**Perth**
U4/4 McNeece Place,
O'Connor WA 6163

**Korb Pty Ltd**
ABN 26 159 533 454